



# Versions list Citybus 0530



# Citybus by Kajosoft

## o530 e2 2d

### Basic information:

Type: City

Door arrangement: 2-2-0

Length: 11.950 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 2

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### **o530 e2 2d - 906 D854.3**

Engine: OM 906 hLA e2 - 205 kW  
Transmission: D854.3 (4 gears)

#### **o530 e2 2d - 906 5HP592**

Engine: OM 906 hLA e2 - 205 kW  
Transmission: 5HP592 (5 gears)

#### **o530 e2 2d - 457 D864.3**

Engine: OM 457 hLA e2 - 260 kW  
Transmission: D864.3 (4 gears)

#### **o530 e2 2d - 457 5HP602**

Engine: OM 457 hLA e2 - 260 kW  
Transmission: 5HP602 (5 gears)

# Citybus by Kajosoft

## o530 e2 3d

### Basic information:

Type: City

Door arrangement: 2-2-2

Length: 11.950 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 2

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### **o530 e2 3d - 906 D854.3**

Engine: OM 906 hLA e2 - 205 kW  
Transmission: D854.3 (4 gears)

#### **o530 e2 3d - 906 5HP592**

Engine: OM 906 hLA e2 - 205 kW  
Transmission: 5HP592 (5 gears)

#### **o530 e2 3d - 457 D864.3**

Engine: OM 457 hLA e2 - 260 kW  
Transmission: D864.3 (4 gears)

#### **o530 e2 3d - 457 5HP602**

Engine: OM 457 hLA e2 - 260 kW  
Transmission: 5HP602 (5 gears)

# Citybus by Kajosoft

## o530 e2 3dT

### Basic information:

Type: City

Door arrangement: 2-2-2

Length: 11.950 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 2

Height: 2.870 mm

Engine orientation: Vertical



### Versions:

#### **o530 e2 3dT - 906 D854.3**

Engine: OM 906 LA e2 - 205 kW  
Transmission: D854.3 (4 gears)

#### **o530 e2 3dT - 906 5HP592**

Engine: OM 906 LA e2 - 205 kW  
Transmission: 5HP592 (5 gears)

# Citybus by Kajosoft

## o530 e3 2d

### Basic information:

Type: City

Door arrangement: 2-2-0

Length: 11.950 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 3

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### **o530 e3 2d - 906 D854.3**

Engine: OM 906 hLA e3 - 205 kW  
Transmission: D854.3 (4 gears)

#### **o530 e3 2d - 906 6HP592**

Engine: OM 906 hLA e3 - 205 kW  
Transmission: 6HP592 (6 gears)

#### **o530 e3 2d - 457 D864.3**

Engine: OM 457 hLA e3 - 260 kW  
Transmission: D864.3 (4 gears)

#### **o530 e3 2d - 457 6HP602**

Engine: OM 457 hLA e3 - 260 kW  
Transmission: 6HP602 (6 gears)

# Citybus by Kajosoft

## o530 e3 3d

### Basic information:

Type: City

Door arrangement: 2-2-2

Length: 11.950 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 3

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### **o530 e3 3d - 906 D854.3**

Engine: OM 906 hLA e3 - 205 kW  
Transmission: D854.3 (4 gears)

#### **o530 e3 3d - 906 6HP592**

Engine: OM 906 hLA e3 - 205 kW  
Transmission: 6HP592 (6 gears)

#### **o530 e3 3d - 457 D864.3**

Engine: OM 457 hLA e3 - 260 kW  
Transmission: D864.3 (4 gears)

#### **o530 e3 3d - 457 6HP602**

Engine: OM 457 hLA e3 - 260 kW  
Transmission: 6HP602 (6 gears)

# Citybus by Kajosoft

## o530 e3 3dT

### Basic information:

Type: City

Door arrangement: 2-2-2

Length: 11.950 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 3

Height: 2.870 mm

Engine orientation: Vertical



### Versions:

#### **o530 e3 3dT - 906 D854.3**

Engine: OM 906 LA e3 - 205 kW  
Transmission: D854.3 (4 gears)

#### **o530 e3 3dT - 906 6HP592**

Engine: OM 906 LA e3 - 205 kW  
Transmission: 6HP592 (6 gears)

#### **o530 e3 3dT - 457 D864.3**

Engine: OM 457 LA e3 - 260 kW  
Transmission: D864.3 (4 gears)

#### **o530 e3 3dT - 457 6HP602**

Engine: OM 457 LA e3 - 260 kW  
Transmission: 6HP602 (6 gears)

# Citybus by Kajosoft

## o530 CNG 2d

### Basic information:

Type: City

Door arrangement: 2-2-0

Length: 11.950 mm

Fuel type: CNG

Width: 2.550 mm

Emission standard: Euro 4

Height: 3.389 mm

Engine orientation: Horizontal



### Versions:

#### o530 CNG 2d - 447 D854.3

Engine: M 447 hLAG - 185 kW  
Transmission: D854.3 (4 gears)

#### o530 CNG 2d - 447 6HP592

Engine: M 447 hLAG - 185 kW  
Transmission: 6HP592 (6 gears)



# Citybus by Kajosoft

## o530 CNG 3d

### Basic information:

Type: City

Door arrangement: 2-2-2

Length: 11.950 mm

Fuel type: CNG

Width: 2.550 mm

Emission standard: Euro 4

Height: 3.389 mm

Engine orientation: Horizontal



### Versions:

#### **o530 CNG 3d - 447 D854.3**

Engine: M 447 hLAG - 185 kW  
Transmission: D854.3 (4 gears)

#### **o530 CNG 3d - 447 6HP592**

Engine: M 447 hLAG - 185 kW  
Transmission: 6HP592 (6 gears)

# Citybus by Kajosoft

## o530 U e2 1-2d

### Basic information:

Type: Suburban

Door arrangement: 1-2-0

Length: 11.950 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 2

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### o530 U e2 1-2d - 906 D854.3

Engine: OM 906 hLA e2 - 205 kW  
Transmission: D854.3 (4 gears)

#### o530 U e2 1-2d - 906 5HP592

Engine: OM 906 hLA e2 - 205 kW  
Transmission: 5HP592 (5 gears)

#### o530 U e2 1-2d - 457 D864.3

Engine: OM 457 hLA e2 - 260 kW  
Transmission: D864.3 (4 gears)

#### o530 U e2 1-2d - 457 5HP602

Engine: OM 457 hLA e2 - 260 kW  
Transmission: 5HP602 (5 gears)

# Citybus by Kajosoft

## o530 U e2 2d

### Basic information:

Type: Suburban

Door arrangement: 2-2-0

Length: 11.950 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 2

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### **o530 U e2 2d - 906 D854.3**

Engine: OM 906 hLA e2 - 205 kW  
Transmission: D854.3 (4 gears)

#### **o530 U e2 2d - 906 5HP592**

Engine: OM 906 hLA e2 - 205 kW  
Transmission: 5HP592 (5 gears)

#### **o530 U e2 2d - 457 D864.3**

Engine: OM 457 hLA e2 - 260 kW  
Transmission: D864.3 (4 gears)

#### **o530 U e2 2d - 457 5HP602**

Engine: OM 457 hLA e2 - 260 kW  
Transmission: 5HP602 (5 gears)

# Citybus by Kajosoft

## o530 U e3 1-2d

### Basic information:

Type: Suburban

Door arrangement: 1-2-0

Length: 11.950 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 3

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### **o530 U e3 1-2d - 906 D854.3**

Engine: OM 906 hLA e3 - 205 kW  
Transmission: D854.3 (4 gears)

#### **o530 U e3 1-2d - 906 6HP592**

Engine: OM 906 hLA e3 - 205 kW  
Transmission: 6HP592 (6 gears)

#### **o530 U e3 1-2d - 457 D864.3**

Engine: OM 457 hLA e3 - 260 kW  
Transmission: D864.3 (4 gears)

#### **o530 U e3 1-2d - 457 6HP602**

Engine: OM 457 hLA e3 - 260 kW  
Transmission: 6HP602 (6 gears)

# Citybus by Kajosoft

## o530 U e3 2d

### Basic information:

Type: Suburban

Door arrangement: 2-2-0

Length: 11.950 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 3

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### **o530 U e3 2d - 906 D854.3**

Engine: OM 906 hLA e3 - 205 kW  
Transmission: D854.3 (4 gears)

#### **o530 U e3 2d - 906 6HP592**

Engine: OM 906 hLA e3 - 205 kW  
Transmission: 6HP592 (6 gears)

#### **o530 U e3 2d - 457 D864.3**

Engine: OM 457 hLA e3 - 260 kW  
Transmission: D864.3 (4 gears)

#### **o530 U e3 2d - 457 6HP602**

Engine: OM 457 hLA e3 - 260 kW  
Transmission: 6HP602 (6 gears)

# Citybus by Kajosoft

## o530 MU e3 1-2d

### Basic information:

Type: Suburban

Door arrangement: 1-2-0

Length: 13.008 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 3

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### o530 MU e3 1-2d - 906 D854.3

Engine: OM 906 hLA e3 - 205 kW  
Transmission: D854.3 (4 gears)

#### o530 MU e3 1-2d - 906 6HP592

Engine: OM 906 hLA e3 - 205 kW  
Transmission: 6HP592 (6 gears)

#### o530 MU e3 1-2d - 457 D864.3

Engine: OM 457 hLA e3 - 260 kW  
Transmission: D864.3 (4 gears)

#### o530 MU e3 1-2d - 457 6HP602

Engine: OM 457 hLA e3 - 260 kW  
Transmission: 6HP602 (6 gears)

# Citybus by Kajosoft

## o530 MU e3 2d

### Basic information:

Type: Suburban

Door arrangement: 2-2-0

Length: 13.008 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 3

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### o530 MU e3 2d - 906 D854.3

Engine: OM 906 hLA e3 - 205 kW  
Transmission: D854.3 (4 gears)

#### o530 MU e3 2d - 906 6HP592

Engine: OM 906 hLA e3 - 205 kW  
Transmission: 6HP592 (6 gears)

#### o530 MU e3 2d - 457 D864.3

Engine: OM 457 hLA e3 - 260 kW  
Transmission: D864.3 (4 gears)

#### o530 MU e3 2d - 457 6HP602

Engine: OM 457 hLA e3 - 260 kW  
Transmission: 6HP602 (6 gears)

# Citybus by Kajosoft

## o530 L e2 2d

### Basic information:

Type: City

Door arrangement: 2-2-0

Length: 14.995 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 2

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### o530 L e2 2d - 906 D854.3

Engine: OM 906 hLA e2 - 205 kW  
Transmission: D854.3 (4 gears)

#### o530 L e2 2d - 906 5HP592

Engine: OM 906 hLA e2 - 205 kW  
Transmission: 5HP592 (5 gears)

#### o530 L e2 2d - 457 D864.3

Engine: OM 457 hLA e2 - 260 kW  
Transmission: D864.3 (4 gears)

#### o530 L e2 2d - 457 5HP602

Engine: OM 457 hLA e2 - 260 kW  
Transmission: 5HP602 (5 gears)



# Citybus by Kajosoft

## o530 L e2 3d

### Basic information:

Type: City

Door arrangement: 2-2-2

Length: 14.995 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 2

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### **o530 L e2 3d - 906 D854.3**

Engine: OM 906 hLA e2 - 205 kW  
Transmission: D854.3 (4 gears)

#### **o530 L e2 3d - 906 5HP592**

Engine: OM 906 hLA e2 - 205 kW  
Transmission: 5HP592 (5 gears)

#### **o530 L e2 3d - 457 D864.3**

Engine: OM 457 hLA e2 - 260 kW  
Transmission: D864.3 (4 gears)

#### **o530 L e2 3d - 457 5HP602**

Engine: OM 457 hLA e2 - 260 kW  
Transmission: 5HP602 (5 gears)

# Citybus by Kajosoft

## o530 L e3 2d

### Basic information:

Type: City

Door arrangement: 2-2-0

Length: 14.995 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 3

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### o530 L e3 2d - 906 D854.3

Engine: OM 906 hLA e3 - 205 kW  
Transmission: D854.3 (4 gears)

#### o530 L e3 2d - 906 6HP592

Engine: OM 906 hLA e3 - 205 kW  
Transmission: 6HP592 (6 gears)

#### o530 L e3 2d - 457 D864.3

Engine: OM 457 hLA e3 - 260 kW  
Transmission: D864.3 (4 gears)

#### o530 L e3 2d - 457 6HP602

Engine: OM 457 hLA e3 - 260 kW  
Transmission: 6HP602 (6 gears)

# Citybus by Kajosoft

## o530 L e3 3d

### Basic information:

Type: City

Door arrangement: 2-2-2

Length: 14.995 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 3

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### **o530 L e3 3d - 906 D854.3**

Engine: OM 906 hLA e3 - 205 kW  
Transmission: D854.3 (4 gears)

#### **o530 L e3 3d - 906 6HP592**

Engine: OM 906 hLA e3 - 205 kW  
Transmission: 6HP592 (6 gears)

#### **o530 L e3 3d - 457 D864.3**

Engine: OM 457 hLA e3 - 260 kW  
Transmission: D864.3 (4 gears)

#### **o530 L e3 3d - 457 6HP602**

Engine: OM 457 hLA e3 - 260 kW  
Transmission: 6HP602 (6 gears)

# Citybus by Kajosoft

## o530 LU e2 1-2d

### Basic information:

Type: Suburban

Door arrangement: 1-2-0

Length: 14.995 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 2

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### **o530 LU e2 1-2d - 906 D854.3**

Engine: OM 906 hLA e2 - 205 kW  
Transmission: D854.3 (4 gears)

#### **o530 LU e2 1-2d - 906 5HP592**

Engine: OM 906 hLA e2 - 205 kW  
Transmission: 5HP592 (5 gears)

#### **o530 LU e2 1-2d - 457 D864.3**

Engine: OM 457 hLA e2 - 260 kW  
Transmission: D864.3 (4 gears)

#### **o530 LU e2 1-2d - 457 5HP602**

Engine: OM 457 hLA e2 - 260 kW  
Transmission: 5HP602 (5 gears)

# Citybus by Kajosoft

## o530 LU e2 2d

### Basic information:

Type: Suburban

Door arrangement: 2-2-0

Length: 14.995 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 2

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### o530 LU e2 2d - 906 D854.3

Engine: OM 906 hLA e2 - 205 kW  
Transmission: D854.3 (4 gears)

#### o530 LU e2 2d - 906 5HP592

Engine: OM 906 hLA e2 - 205 kW  
Transmission: 5HP592 (5 gears)

#### o530 LU e2 2d - 457 D864.3

Engine: OM 457 hLA e2 - 260 kW  
Transmission: D864.3 (4 gears)

#### o530 LU e2 2d - 457 5HP602

Engine: OM 457 hLA e2 - 260 kW  
Transmission: 5HP602 (5 gears)

# Citybus by Kajosoft

## o530 LU e3 1-2d

### Basic information:

Type: Suburban

Door arrangement: 1-2-0

Length: 14.995 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 3

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### **o530 LU e3 1-2d - 906 D854.3**

Engine: OM 906 hLA e3 - 205 kW  
Transmission: D854.3 (4 gears)

#### **o530 LU e3 1-2d - 906 6HP592**

Engine: OM 906 hLA e3 - 205 kW  
Transmission: 6HP592 (6 gears)

#### **o530 LU e3 1-2d - 457 D864.3**

Engine: OM 457 hLA e3 - 260 kW  
Transmission: D864.3 (4 gears)

#### **o530 LU e3 1-2d - 457 6HP602**

Engine: OM 457 hLA e3 - 260 kW  
Transmission: 6HP602 (6 gears)

# Citybus by Kajosoft

## o530 LU e3 2d

### Basic information:

Type: Suburban

Door arrangement: 2-2-0

Length: 14.995 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 3

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### o530 LU e3 2d - 906 D854.3

Engine: OM 906 hLA e3 - 205 kW  
Transmission: D854.3 (4 gears)

#### o530 LU e3 2d - 906 6HP592

Engine: OM 906 hLA e3 - 205 kW  
Transmission: 6HP592 (6 gears)

#### o530 LU e3 2d - 457 D864.3

Engine: OM 457 hLA e3 - 260 kW  
Transmission: D864.3 (4 gears)

#### o530 LU e3 2d - 457 6HP602

Engine: OM 457 hLA e3 - 260 kW  
Transmission: 6HP602 (6 gears)

# Citybus by Kajosoft

## o530 G e2 3d

### Basic information:

Type: City

Door arrangement: 2-2-2-0

Length: 17.940 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 2

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### o530 G e2 3d - 906 D854.3

Engine: OM 906 hLA e2 - 205 kW  
Transmission: D854.3 (4 gears)

#### o530 G e2 3d - 906 5HP592

Engine: OM 906 hLA e2 - 205 kW  
Transmission: 5HP592 (5 gears)

#### o530 G e2 3d - 457 D864.3

Engine: OM 457 hLA e2 - 260 kW  
Transmission: D864.3 (4 gears)

#### o530 G e2 3d - 457 5HP602

Engine: OM 457 hLA e2 - 260 kW  
Transmission: 5HP602 (5 gears)



# Citybus by Kajosoft

## o530 G e2 4d

### Basic information:

Type: City

Door arrangement: 2-2-2-2

Length: 17.940 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 2

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### o530 G e2 4d - 906 D854.3

Engine: OM 906 hLA e2 - 205 kW  
Transmission: D854.3 (4 gears)

#### o530 G e2 4d - 906 5HP592

Engine: OM 906 hLA e2 - 205 kW  
Transmission: 5HP592 (5 gears)

#### o530 G e2 4d - 457 D864.3

Engine: OM 457 hLA e2 - 260 kW  
Transmission: D864.3 (4 gears)

#### o530 G e2 4d - 457 5HP602

Engine: OM 457 hLA e2 - 260 kW  
Transmission: 5HP602 (5 gears)

# Citybus by Kajosoft

## o530 G e3 3d

### Basic information:

Type: City

Door arrangement: 2-2-2-0

Length: 17.940 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 3

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### **o530 G e3 3d - 906 D854.3**

Engine: OM 906 hLA e3 - 205 kW  
Transmission: D854.3 (4 gears)

#### **o530 G e3 3d - 906 6HP592**

Engine: OM 906 hLA e3 - 205 kW  
Transmission: 6HP592 (6 gears)

#### **o530 G e3 3d - 457 D864.3**

Engine: OM 457 hLA e3 - 260 kW  
Transmission: D864.3 (4 gears)

#### **o530 G e3 3d - 457 6HP602**

Engine: OM 457 hLA e3 - 260 kW  
Transmission: 6HP602 (6 gears)

# Citybus by Kajosoft

## o530 G e3 4d

### Basic information:

Type: City

Door arrangement: 2-2-2-2

Length: 17.940 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 3

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### **o530 G e3 4d - 906 D854.3**

Engine: OM 906 hLA e3 - 205 kW  
Transmission: D854.3 (4 gears)

#### **o530 G e3 4d - 906 6HP592**

Engine: OM 906 hLA e3 - 205 kW  
Transmission: 6HP592 (6 gears)

#### **o530 G e3 4d - 457 D864.3**

Engine: OM 457 hLA e3 - 260 kW  
Transmission: D864.3 (4 gears)

#### **o530 G e3 4d - 457 6HP602**

Engine: OM 457 hLA e3 - 260 kW  
Transmission: 6HP602 (6 gears)

# Citybus by Kajosoft

## o530 G e3 4dT

### Basic information:

Type: City

Door arrangement: 2-2-2-2

Length: 17.940 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 3

Height: 2.870 mm

Engine orientation: Vertical



### Versions:

#### o530 G e3 4dT - 906 D854.3

Engine: OM 906 LA e3 - 205 kW  
Transmission: D854.3 (4 gears)

#### o530 G e3 4dT - 906 6HP592

Engine: OM 906 LA e3 - 205 kW  
Transmission: 6HP592 (6 gears)

#### o530 G e3 4dT - 457 D864.3

Engine: OM 457 LA e3 - 260 kW  
Transmission: D864.3 (4 gears)

#### o530 G e3 4dT - 457 6HP602

Engine: OM 457 LA e3 - 260 kW  
Transmission: 6HP602 (6 gears)

# Citybus by Kajosoft

## o530 G CNG 3d

### Basic information:

Type: City

Door arrangement: 2-2-2-0

Length: 17.940 mm

Fuel type: CNG

Width: 2.550 mm

Emission standard: Euro 4

Height: 3.389 mm

Engine orientation: Horizontal



### Versions:

#### o530 G CNG 3d - 447 D864.3

Engine: M 447 hLAG - 240 kW  
Transmission: D864.3 (4 gears)

#### o530 G CNG 3d - 447 6HP602

Engine: M 447 hLAG - 240 kW  
Transmission: 6HP602 (6 gears)

# Citybus by Kajosoft

## o530 G CNG 4d

### Basic information:

Type: City

Door arrangement: 2-2-2-2

Length: 17.940 mm

Fuel type: CNG

Width: 2.550 mm

Emission standard: Euro 4

Height: 3.389 mm

Engine orientation: Horizontal



### Versions:

#### o530 G CNG 4d - 447 D864.3

Engine: M 447 hLAG - 240 kW  
Transmission: D864.3 (4 gears)

#### o530 G CNG 4d - 447 6HP602

Engine: M 447 hLAG - 240 kW  
Transmission: 6HP602 (6 gears)

# Citybus by Kajosoft

## o530 GU e2 1-3d

### Basic information:

Type: Suburban

Door arrangement: 1-2-2-0

Length: 17.940 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 2

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### o530 GU e2 1-3d - 906 D854.3

Engine: OM 906 hLA e2 - 205 kW  
Transmission: D854.3 (4 gears)

#### o530 GU e2 1-3d - 906 5HP592

Engine: OM 906 hLA e2 - 205 kW  
Transmission: 5HP592 (5 gears)

#### o530 GU e2 1-3d - 457 D864.3

Engine: OM 457 hLA e2 - 260 kW  
Transmission: D864.3 (4 gears)

#### o530 GU e2 1-3d - 457 5HP602

Engine: OM 457 hLA e2 - 260 kW  
Transmission: 5HP602 (5 gears)

# Citybus by Kajosoft

## o530 GU e2 3d

### Basic information:

Type: Suburban

Door arrangement: 2-2-2-0

Length: 17.940 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 2

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### **o530 GU e2 3d - 906 D854.3**

Engine: OM 906 hLA e2 - 205 kW  
Transmission: D854.3 (4 gears)

#### **o530 GU e2 3d - 906 5HP592**

Engine: OM 906 hLA e2 - 205 kW  
Transmission: 5HP592 (5 gears)

#### **o530 GU e2 3d - 457 D864.3**

Engine: OM 457 hLA e2 - 260 kW  
Transmission: D864.3 (4 gears)

#### **o530 GU e2 3d - 457 5HP602**

Engine: OM 457 hLA e2 - 260 kW  
Transmission: 5HP602 (5 gears)



# Citybus by Kajosoft

## o530 GU e3 1-3d

### Basic information:

Type: Suburban

Door arrangement: 1-2-2-0

Length: 17.940 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 3

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### o530 GU e3 1-3d - 906 D854.3

Engine: OM 906 hLA e3 - 205 kW  
Transmission: D854.3 (4 gears)

#### o530 GU e3 1-3d - 906 6HP592

Engine: OM 906 hLA e3 - 205 kW  
Transmission: 6HP592 (6 gears)

#### o530 GU e3 1-3d - 457 D864.3

Engine: OM 457 hLA e3 - 260 kW  
Transmission: D864.3 (4 gears)

#### o530 GU e3 1-3d - 457 6HP602

Engine: OM 457 hLA e3 - 260 kW  
Transmission: 6HP602 (6 gears)

# Citybus by Kajosoft

## o530 GU e3 3d

### Basic information:

Type: Suburban

Door arrangement: 2-2-2-0

Length: 17.940 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 3

Height: 2.870 mm

Engine orientation: Horizontal



### Versions:

#### **o530 GU e3 3d - 906 D854.3**

Engine: OM 906 hLA e3 - 205 kW  
Transmission: D854.3 (4 gears)

#### **o530 GU e3 3d - 906 6HP592**

Engine: OM 906 hLA e3 - 205 kW  
Transmission: 6HP592 (6 gears)

#### **o530 GU e3 3d - 457 D864.3**

Engine: OM 457 hLA e3 - 260 kW  
Transmission: D864.3 (4 gears)

#### **o530 GU e3 3d - 457 6HP602**

Engine: OM 457 hLA e3 - 260 kW  
Transmission: 6HP602 (6 gears)